

Attraction Liquid

NSI-125


F : Highly flammable



Xn : Harmful

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Trade name : Attraction Liquid
Identification of the product : Liquid.
Type of product : Organic compounds.
Use : For professional use only.
Company identification : NAIL SYSTEMS INTERNATIONAL
 2 Union Hill Road
 W. Conshohocken, PA 19428 UNITED STATES
 Tel. (610) 825-1524
Emergency phone nr : Infotrac (800) 535-5053 - Outside USA (352) 323-3500

2 HAZARDS IDENTIFICATION

Risk Phrases : Harmful and irritating by inhalation, in contact with skin and eyes and if swallowed.
Primary route of exposure : Vapours inhalation. Skin and eyes contact.
Symptoms relating to use
 - **Inhalation** : Cough. Headache. Dry throat. Breathing difficulties.
 - **Skin contact** : Repeated exposure may cause sensitization due to an allergic reaction of the skin. Prolonged or repeated contact may cause skin to become dry or cracked.
 - **Eye contact** : Redness, pain. Blurred vision. Burning sensation.
 - **Ingestion** : Abdominal pain, nausea.
 Must not come into contact with food or be consumed.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Preparation : Preparation.
Components : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	Classification
Ethyl Methacrylate	> 75 %	97-63-2	202-597-5	607-071-00-2	F; R11 Xi; R36/37/38 R43
HEMA	> 5 < 10 %	868-77-9	212-782-2	607-124-00-X	Xi; R36/38 R43
Triethyleneglycol Dimethacrylate	> 5 < 10 %	109-16-0	203-652-6	-----	
Dimethyltolylamine	> 1 < 3 %	99-97-8	202-805-4	612-056-00-9	T; R23/24/25 R33 R52-53
2-(2-hydroxy-3,5-di(tert)-amylphenyl) benzotriazole	< 1 %	25973-55-1	247-384-8	-----	
Benzophenone 12	< 0.5 %	1843-05-6	217-421-2	-----	
CI 60725 / Violet 2	< 0.5 %	81-48-1	201-353-5	-----	

Attraction Liquid

NSI-125

4 FIRST AID MEASURES

First aid measures

- **Inhalation** : Assure fresh air breathing. Inhalation of vapour can cause breathing difficulties. Obtain medical attention.
- **Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- **Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking, tears or redness persist.
- **Ingestion** : Rinse mouth. Do not induce vomiting. Seek medical attention if ill effect develops.

5 FIRE-FIGHTING MEASURES

- Flammable class** : This product is flammable.
- Specific hazards** : May form flammable vapour-air mixture.
- Prevention** : Keep away from sources of ignition. No smoking.
- Extinguishing media** : Dry powder. Water. Carbon dioxide. Foam.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.
- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire.

6 ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Keep public away from danger area. Equip cleanup crew with proper protection. No smoking.
- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
- Clean up methods** : Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable disposal containers. Flush residue with large amounts of water.

7 HANDLING AND STORAGE

- General** : Keep away from sources of ignition - No smoking.
- Precautions in handling and storage** : Good ventilation of the workplace required.
- Technical protective measures** : Use grounded electrical/mechanical equipment.
- Storage** : Keep in fireproof place. Store in tightly closed, properly ventilated containers away from heat, sparks, open flame.
- Handling** : Ensure prompt removal from eyes. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Personal protection**
- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.
- **Hand protection** : Gloves.
- **Skin protection** : In case of possible repeated skin contact wear protective clothing.
- **Eye protection** : Goggles.
- **Ingestion** : When using, do not eat, drink or smoke.

Attraction Liquid

NSI-125

8 EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Industrial hygiene : Provide good ventilation in process area to prevent formation of vapour.
Occupational Exposure Limits : N,N-dimethyl-p-toluidine : TLV© -TWA [ppm] : 2 (Toluidine)

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20 °C : Liquid.
Colour : Blue.
Odour : Acrylic / Characteristic.
Boiling point [°C] : 118
Vapour pressure mm/Hg : @ 20 deg C 15
Solubility in water : Negligible.
Flash point [°C] : TCC 15.5
Flammability range [vol% in air] : LEL: 1.8% UEL: Not Established
Auto-ignition temperature [°C] : 410
Other data : Specific Gravity (Water=1) 0.932

10 STABILITY AND REACTIVITY

Stability and reactivity : Stable under normal conditions.
Hazardous decomposition products : According to process conditions, hazardous decomposition products may be generated.
Hazardous reactions : May release flammable gases.
Hazardous polymerization : May Occur
Hazardous properties : May form flammable/explosive vapour-air mixture.
Materials to avoid : Strong oxidizers.
Strong acids.
Conditions to avoid : Open flame. Sparks. Overheating.

11 TOXICOLOGICAL INFORMATION

Rat oral LD50 [mg/kg] : Ingredient Data:
Ethyl Methacrylate - 14800
HEMA - 5050
Triethylene Glycol Dimethacrylate - 10837
Rat inhalation LC50 [ppm] : Ingredient Data:
Ethyl Methacrylate - 8300ppm / 4 hours

12 ECOLOGICAL INFORMATION

Ecological effects information : No data available.
LC50-96 Hour - fish [mg/l] : No data available.
48 Hour-EC50 - Daphnia magna [mg/l] : No data available.
IC50 72h Algae [mg/l] : No data available.

Attraction Liquid**NSI-125****13 DISPOSAL CONSIDERATIONS**

General : Dispose of this material and its container at hazardous or special waste collection point. Dispose in a safe manner in accordance with local/national regulations.

14 TRANSPORT INFORMATION

Proper shipping name : UN1993 FLAMMABLE LIQUID, N.O.S. (Ethyl methacrylate), 3, II
UN No. : 1993
H.I. nr : 33
ADR/RID : Group : II
Special provision : 640D
Class : 3

Labelling ADR

**15 REGULATORY INFORMATION**

Symbol(s) : Xn : Harmful
F : Highly flammable

R Phrase(s) : R11 : Highly flammable.
R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed.
R33 : Danger of cumulative effects.
R36/37/38 : Irritating to eyes, respiratory system and skin.
R43 : May cause sensitization by skin contact.

S Phrase(s) : S16 : Keep away from sources of ignition - No smoking.
S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37 : Wear suitable protective clothing and gloves.
S51 : Use only in well-ventilated areas.

The contents and format of this SDS are in accordance with REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

For EU Regulatory Inquiries please contact:
FSE International NV/SA
9 Rue du Moniteur-B-1000
Brussels, Belgium
011 322 277 07 70

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document